



Hydraulics Laboratory & Eco-hydraulics Research Center

Room PQ004, Block PQ,

Department of Civil and Environmental Engineering,

The Hong Kong Polytechnic University



THE HONG KONG
POLYTECHNIC UNIVERSITY
香港理工大學



DEPARTMENT OF
CIVIL AND ENVIRONMENTAL ENGINEERING
土木及環境工程學系

Opening Minds • Shaping the Future
啟迪思維 • 成就未來

Introduction

This hydraulics laboratory mainly focuses in the teaching and research areas of hydraulic engineering and related disciplines, including: numerical and physical modeling of tidal circulation, wave propagation, storm surge, conduit flow, multi-phase flow, solute and sediment transport.

It houses advanced equipment including:

- Open Channel Tilting Flume
- Wave Channel and Control System
- Pressurized Water Pipeline System
- Nortek Vectrino Plus Side/down-looking ADV
- Laser PIV System and 2D LDV System
- Nortek Vector Current Meter
- OBS-3A Turbidity Meter
- Submersible Ultraviolet Nitrate Analyzer (SUNA)
- Acoustic Doppler Current Profiler (ADCP)
- 3D Printer
- Emriver Em4 Geomodel (Em4)
- Multipurpose Microfluidics and Image System
- Lavision Flowmaster TOMO-PIV & FSI Multipurpose Laser-based Imaging System



Main Equipment (Research)



Irregular Wavemaker Channel and Control System

Parameter settings:

Length ~27m
Width 1.5m
Hight 1.5m



Open Channel (Tilting Flume)

Parameter settings:

Length 12.5m
Width 0.31m
Hight 0.45m



Open Channel (Sediment & Flow)

Parameter settings:

Length ~7m
Width 1.0m
Hight 0.4m

Main Equipment (Research)




Pressurized Water Pipeline System

Parameter settings:

Total Length ~ 50m

Diameter 50mm

Water head 10bar Max



Multipurpose Microfluidics and Image System

ElveFlow

OB1 MK4

ZEISS AXIO VERT.A1 FL-LED
INVERTED MICROSCOPE



Nortek Vectrino Plus Side-looking ADV

Nortek Vectrino is globally used as the standard flow-measuring tool for hydraulic laboratory applications.

Acoustic Doppler velocimetry (ADV) is a velocity measurement technique that allows for the measurement of 3D flow velocities by using the Doppler shift principle.

Main Equipment (Research)



Submersible Ultraviolet Nitrate Analyzer (SUNA)

The SUNA is a water quality monitoring sensor, and it is a cost-effective solution for real-time nitrate analysis in coastal and freshwater environments, providing quick and continuous nitrate measurement.



OBS-3A Turbidity Meter

The OBS-3A sensor is an optional sensor for measuring turbidity and suspended solids concentrations by detecting near infrared radiation scattered from suspended particles.



Laser PIV System

The laser PIV system is well established technique for measuring the velocity of a fluid at multiple points throughout a 2-dimensional measure plane.

Main Equipment (Research)




Emriver Em4 River Simulator

The Em4 system is capable of simulating floodplains, deltas, groundwater processes, and sediment transport. Combining with wave maker and media feeder module, more systems and processes could be built and modelled.



High-Speed CMOS Area Scan Camera Series

The camera series is a family of high-speed CMOS area scan cameras designed for a broad range of applications. It can produce videos with high resolution of 2048*1088 and capture instantaneous flow structures.



2D Mini Laser Doppler Velocimetry

The 2D-miniLDV, also known as laser Doppler anemometry, is the technique of using the Doppler shift in a laser beam to measure the velocity in transparent or semi-transparent fluid flows or the linear or vibratory motion of opaque, reflecting surfaces.


Main Equipment (Research)



Lavis Flowmaster TOMO-PIV & FSI Multipurpose
Laser-based Imaging System

The system has 3D PIV and four camera.

Main Equipment (Teaching)



Hydrostatic Pressure




V-Notch Weir



Venturi Meter



Jet Impact



Hydraulics of Well



Pipe Friction and Surge Tower

Academic Staff



Prof. Duan, Huan-Feng (段煥豐)

Professor

Leader of Hydraulics Unit

Lab-in-Charge of Hydraulics Laboratory

Email: hf.duan@polyu.edu.hk

Homepage: <https://www.polyu.edu.hk/cee/people/academic-staff/dr-hf-duan/> or

<http://www.polyu.edu.hk/cee/~cehfduan>



Dr. Stocchino, Alessandro

Associate Professor

Email: alessandro.stocchino@polyu.edu.hk

Homepage: <https://www.polyu.edu.hk/cee/staff/academic-staff/stocchino-alessandro/>



Dr. Wang, Jinghua (王菁華)

Assistant Professor

Email: jinghua.wang@polyu.edu.hk

Homepage: <https://www.polyu.edu.hk/cee/people/academic-staff/dr-wang-jinghua/>

Academic Staff



Dr. Keramat, Alireza

Research Assistant Professor

Email: Alireza.keramat@polyu.edu.hk

Homepage:

<https://research.polyu.edu.hk/en/persons/alireza-keramat>




Dr Tong-Chuan CHE

Research Assistant Professor

Email: tc.che@polyu.edu.hk

Research Spotlight (1)


Smart Urban Water Supply System (Smart UWSS)
— Transient-Based Water Pipeline Diagnosis



** Supports from RGC TRS & GRF Projects (T21-602/15R; 15201017; 15200719)

Research Spotlight (2)

Fluid Mechanics & Hydraulics of Close-Open Channel Flows
— Advances in Theories, Models and Applications



** Supports from RGC ECS Project (25200616) & PolyU Projects


Research Spotlight (3)

Dynamic Dispersion Processes in Natural Rivers

The exchange of mass and momentum between the main channel and the lateral floodplains in natural rivers is fundamental in the preservation of natural ecosystems. The study of the turbulent features and the Lagrangian dispersion is then fundamental.




Natural River View




Velocity fields and the generation of 2D coherent vortices that play a fundamental role in the overall exchange processes



Single and multiple statistics and Lagrangian Coherent Structures (LCS)



Dispersion regimes appear to depend on the main physical parameters and LCSs are generated along the main channel width possibly modifying the exchange of nutrients





Finite Size Lyapunov Exponent



Research Spotlight (4)

Microplastic Transport in the Marine Environment


Marine plastic pollution is becoming one of the most urgent environmental issues. Microplastic (MP) debris are transported from rivers to open oceans. We aim to understand the role of sea wave transport and the effect on the settling velocity of MPs




Example of MPs used in the experiments



Recorded frame




Tracking of the MPs trajectories




Measured MPs trajectories

New formula from nonlinear fittings of the measurements




Sea-wave Increased settling velocity of heavy plastic particles




Research Spotlight (5)

Ocean Wave and Offshore Wind Renewables Exploitation

As potential alternatives to traditional fossil energy sources, ocean renewables including wave and wind are sustainable for producing electricity with low emissions of greenhouse gases and pollutants. Wave Energy Converters (WECs) and Offshore Wind Turbines (OWTs) are designed to harness them from ocean. Study on structural optimization is demanded to improve conversion efficiency and ensure their survivability in extreme seas.




Laboratory experiments to examine the exerted extreme wave forces on WECs.



Validation of numerical model for investigating WEC under focusing wave action. Simulation results agree very well with laboratory measurements.

Numerical modelling of fully coupled wind-wave-OWTs interactions.


- The wind effects on platform are indicated by drift motions.
- The effects of platform motion on turbine are reflected by oscillation of thrust forces.
- Further insights are needed to shed light on the fully nonlinear interactions between components.



Research Spotlight (6)

Biofluid Mechanics and Applications in Arterial Networks: — Modeling, Analysis and Identification of Arterial Anomalies

Arterial diseases are the most common reason for morbidity and mortality in Hong Kong and worldwide. This interdisciplinary project adopts the outcome of two different research areas being haemodynamics and system identification, to initialize a technique for anomaly detection based on the wave theory.



The innovative technique largely contributes to arterial health screening and diagnosis with applicability to cardiology, diabetology, neurology, internal medicine, etc.

Lab-in-charge and Technical Staff



Lab-in-Charge

Prof. Duan, Huan-Feng (段煥豐)

Professor

Email: hf.duan@polyu.edu.hk

Homepage: <https://www.polyu.edu.hk/cee/people/academi>

[c-staff/dr-hf-duan/](https://www.polyu.edu.hk/cee/people/academi/c-staff/dr-hf-duan/) or

<http://www.polyu.edu.hk/cee/~cehfduan>



Technical Staff

Mr. Leung, Kwok-Hing (梁國興)

Email: cekleung@polyu.edu.hk

Tel: (852) 2766 6005

Address

Room PQ004, The Hong Kong Polytechnic University

Opening Hours

Monday 8:45am – 12:30pm, 1:30pm – 5:45pm

Tuesday to Friday 8:45am – 12:30pm, 1:30pm – 5:30pm

(excluding Saturday, Sunday & public holidays)